

Insert Dealer Logo

ORDER  
 QUOTE



Version 39 -October 21 2024

Date: \_\_\_\_\_  
End User: \_\_\_\_\_  
Work Order Number: \_\_\_\_\_

Sales Person: \_\_\_\_\_  
Customer PO: \_\_\_\_\_  
Request Delivery Date: \_\_\_\_\_

**SIDE DUMP V Max II Tri Axle Lead**

o/a Height 9' 10"  
o/a Length 35' 10"  
Axle spread 60"  
King pin setting 15" is Std  
King pin height 50"  
Wall height 54"  
RTAC compliant Yes



**Base spec / to base model**

Body Capacity - 20 cubic yard capacity  
Box Front & Wall - Hardox 450, 1/8"  
Box Sides & Floor - Hardox 450, 1/8"  
Top Rail - Formed top rail  
Suspension -Hendrickson Intraax 250, 25,000 pound capacity per suspension  
Axles - 77 inch track, 25,000 pound capacity per axle  
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5  
Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819  
ABS 2 sensor, 1 module  
Steps - between 1st and 2nd axles  
Aluminum 1/2 round fenders  
Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

**BOX POSITION**

Std Box 16380 lbs 0

**TARPS**

Tarp Colour - If colour is not specified tarp will be black

Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube  
 Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube  
 Wire for electric tarp to rear unit, lead units only  
 Side Kicker Tarp Hood / Cap  
 Over Tarp Caps  Between Tarp Caps

AR-0900100  
A5XWIRELECTARP  
Tarp Hood

**LIGHT**

Incandescent Lights  LED lights A5XKIT201VM2LD

**SUSPENSION**

Lift Location

1 axle auto deploy lift kit  
 2 axle auto deploy lift kit (simultaneous) A5XKITEA3010A-D

**TIRES AND RIMS**

11R22.5 Tires  
 11R24.5 Tires  
 Cooper Road Master RM 230 HH A9X1611006  
Steel wheels unless otherwise noted  
Steel Aluminum look-alike   
Aluminum Machined  A9X160883620  
Aluminum Polished

**MUDFLAPS**

Mud flaps, frame mounted, 2 in front of suspension  
 Dealer Logo Rear Mud flaps (2) 24 x 30 A5XSA031300

<b>CATEGORY</b>	<b>Weight</b>	<b>PART NUMBER</b>
<b>Work Order #</b>		

**OPTIONS**

<input checked="" type="checkbox"/>	22ft Box in Lieu of a 20ft - upcharge		
<input checked="" type="checkbox"/>	Two speed crank down legs V Max II option		A5XSA072200
<input type="checkbox"/>	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Vibrator, 12 volt DC3500		
<input type="checkbox"/>	Backup Alarm		
<input type="checkbox"/>	CHAIN HANGERS - U BOLT 3/4X5X17 RD		
<input type="checkbox"/>	Remote grease system for Tri Axle		
<input checked="" type="checkbox"/>	Black Plastic Fenders		A9X46010000
<input type="checkbox"/>	Calcium Tank		
<input type="checkbox"/>	Manitoba Safety Inspection		
<input type="checkbox"/>	PDI		

**QUOTED OPTIONS**

<input checked="" type="checkbox"/>	Sheeted in Corners
<input checked="" type="checkbox"/>	mudflaps bank of 4 in front of landing gear
<input checked="" type="checkbox"/>	non-slip on deck plate
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

**Std. Box Colour**  
 White CLR 21971  
 Silver CLR 17752  
 Black CLR 14808

**Std. Frame Colour**  
 Black CLR 14808

**BOX COLOUR      PAINT CODE**

Box colour		
Frame colour		
Board colour		
Stripe	Red	SW00567
Tier		

LBS  
 KG

**NOTES:**

---



---



---

Purchaser's Signature \_\_\_\_\_ Date \_\_\_\_\_

Insert Dealer Logo

ORDER  
 QUOTE




Version 38 - October 21 2024

Date: \_\_\_\_\_  
End User: \_\_\_\_\_  
Work Order Number: \_\_\_\_\_

Sales Person: \_\_\_\_\_  
Customer PO: \_\_\_\_\_  
Request Delivery Date: \_\_\_\_\_

**SIDE DUMP V Max II TDM Axle Rear**

o/a Height 9' 5"  
o/a Length 28' 6"  
Axle spread 50"  
King pin setting 15" is Std  
King pin height 46"  
Wall height 54"  
RTAC compliant Yes



**Base spec / to base model**

Body Capacity - 20 cubic yard capacity  
Box Front & Rear Wall- Hardox 450, 1/8"  
Box Sides & Floor - Hardox 450, 1/8"  
Top Rail - Formed top rail  
Suspension - Hendrickson Intraax 250, 25,000 pounds capacity per suspension  
Axles - 77 inch track, 25,000 pound capacity per axle  
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5  
Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819  
ABS 2 sensor, 1 module  
Steps - between 1st and 2nd axles  
Aluminum 1/2 Round Fenders  
Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

**BOX POSITION**

<input checked="" type="checkbox"/> V Max II TDM Axle Rear	16380 lbs	A5XSC032300
--	-----------	-------------

**TARPS**

Tarp Colour - If colour is not specified tarp will be black

<input type="checkbox"/> Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube	<input type="checkbox"/>	
<input checked="" type="checkbox"/> Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube	<input type="checkbox"/>	A5X0900100
<input checked="" type="checkbox"/> Side Kicker Tarp Hood / Cap	<input type="checkbox"/>	Tarp Hood
<input checked="" type="checkbox"/> Over Tarp Caps	<input type="checkbox"/>	
<input type="checkbox"/> Incandescent Lights	<input type="checkbox"/>	
<input checked="" type="checkbox"/> LED lights	<input type="checkbox"/>	A5XKIT201VM2LD

**SUSPENSION**

Lift Location

<input type="checkbox"/> 1 axle auto deploy lift kit	<input type="checkbox"/>
--	--------------------------

**TIRES AND RIMS**

<input checked="" type="checkbox"/> 11R22.5 Tires	
<input type="checkbox"/> 11R24.5 Tires	
<input checked="" type="checkbox"/> Cooper Road Master RM 230	A9X1611006

Steel wheels unless otherwise noted

Steel Aluminum look-alike	<input type="checkbox"/>	
Aluminum Machined	<input checked="" type="checkbox"/>	A9X160883620
Aluminum Polished	<input type="checkbox"/>	

**MUDFLAPS**

<input checked="" type="checkbox"/> Mud flaps, frame mounted, 2 in front of suspension	A5XSA031300
<input type="checkbox"/> Dealer Logo Rear Mud flaps (2) 24 x 30	

<b>CATEGORY</b>	<b>Weight</b>	<b>PART NUMBER</b>
<b>Work Order #</b>		

**OPTIONS**

<input checked="" type="checkbox"/>	22ft Box in lieu of 20ft - Upcharge		
<input checked="" type="checkbox"/>	Two speed crank down legs V Max II option		A5XSA072200
<input type="checkbox"/>	Hubodometer for 22.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Hubodometer for 24.5 tire (installed on drivers side)	KMs	
<input type="checkbox"/>	Vibrator, 12 volt DC3500		
<input type="checkbox"/>	Backup Alarm		
<input type="checkbox"/>	CHAIN HANGERS - U BOLT 3/4X5X17 RD		
<input type="checkbox"/>	Remote grease system for TDM Axle		
<input checked="" type="checkbox"/>	Black Plastic Fenders		A9X46010000
<input type="checkbox"/>	Manitoba Safety Inspection		
<input type="checkbox"/>	PDI		

**QUOTED OPTIONS**

<input checked="" type="checkbox"/>	Sheeted in Corners
<input checked="" type="checkbox"/>	mudflaps bank of 4 in front of landing gear
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	

**Std. Box Colour**

<input type="checkbox"/>	White CLR 21971
<input type="checkbox"/>	Silver CLR 17752
<input checked="" type="checkbox"/>	Black CLR 14808

**Std. Frame Colour**

<input checked="" type="checkbox"/>	Black CLR 14808
-------------------------------------	-----------------

Box colour  
Frame colour  
Board colour  
Stripe  
Tier

<b><u>BOX COLOUR</u></b>	<b><u>PAINT CODE</u></b>
Red	SW00567

LBS  
KG

**NOTES:**

---



---



---

Purchaser's Signature \_\_\_\_\_ Date \_\_\_\_\_