

Insert Dealer Logo

ORDER  
 QUOTE



Version 37 - August 8 2023

Date: \_\_\_\_\_  
 End User: \_\_\_\_\_  
 Work Order Number: \_\_\_\_\_

Sales Person: \_\_\_\_\_  
 Customer PO: \_\_\_\_\_  
 Request Delivery Date: \_\_\_\_\_

**SIDE DUMP V Max II Tri Axle Lead**

o/a Height 9' 10"  
 o/a Length 35' 10"  
 Axle spread 60"  
 King pin setting 15" is Std  
 King pin height 50"  
 Wall height 54"  
 RTAC compliant Yes



**Base spec / to base model**

Body Capacity - 20 cubic yard capacity  
 Box Front & Wall - Hardox 450, 1/8"  
 Box Sides & Floor - Hardox 450, 1/8"  
 Top Rail - Formed top rail  
 Suspension -Hendrickson Intraax 250, 25,000 pound capacity per suspension  
 Axles - 77 inch track, 25,000 pound capacity per axle  
 Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5  
 Tires - BF Goodrich, Cross Control, 11R22.5 radial tires / Firestone T 819  
 ABS 2 sensor, 1 module  
 Steps - between 1st and 2nd axles  
 Aluminum 1/2 round fenders  
 Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

<input checked="" type="checkbox"/> Std Box	16380 lbs	0
---	-----------	---

**BOX POSITION**

**TARPS**

Tarp Colour - If colour is not specified tarp will be black

<input type="checkbox"/> Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube		
<input checked="" type="checkbox"/> Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube		AR-0900100
<input type="checkbox"/> Wire for electric tarp to rear unit, lead units only		A5XWIRELECTARP
<input type="checkbox"/> Side Kicker Tarp Hood / Cap		MISC
<input checked="" type="checkbox"/> Over Tarp Caps <input type="checkbox"/> Between Tarp Caps		

**LIGHT**

<input type="checkbox"/> Incandescent Lights	<input checked="" type="checkbox"/> LED lights	A5XKIT201VM2LD
--	--	----------------

**SUSPENSION**

Lift Location

<input type="checkbox"/> 1 axle auto deploy lift kit		
<input type="checkbox"/> 2 axle auto deploy lift kit (simultaneous)		A5XKITEA3010A-D

**TIRES AND RIMS**

<input type="checkbox"/> 11R22.5 Tires		
<input checked="" type="checkbox"/> 11R24.5 Tires		
<input checked="" type="checkbox"/> Cooper Road Master RM 230 HH		A9X1611012
Steel wheels unless otherwise noted		
Steel Aluminum look-alike	<input type="checkbox"/>	
Aluminum Machined	<input checked="" type="checkbox"/>	A9X160983620
Aluminum Polished	<input type="checkbox"/>	

**MUDFLAPS**

<input type="checkbox"/> Mud flaps, frame mounted, 2 in front of suspension
---



Insert Dealer Logo

ORDER  
 QUOTE



Version 37 - April 11 2023

Date: \_\_\_\_\_  
End User: \_\_\_\_\_  
Work Order Number: \_\_\_\_\_

Sales Person: \_\_\_\_\_  
Customer PO: \_\_\_\_\_  
Request Delivery Date: \_\_\_\_\_

**SIDE DUMP V Max II TDM Axle Rear**

o/a Height 9' 5"  
o/a Length 28' 6"  
Axle spread 50"  
King pin setting 15" is Std  
King pin height 46"  
Wall height 54"  
RTAC compliant Yes



**Base spec / to base model**

Body Capacity - 20 cubic yard capacity  
Box Front & Rear Wall- Hardox 450, 1/8"  
Box Sides & Floor - Hardox 450, 1/8"  
Top Rail - Formed top rail  
Suspension - Hendrickson Intraax 250, 25,000 pounds capacity per suspension  
Axles - 77 inch track, 25,000 pound capacity per axle  
Wheels - Unimount 10 hole wheels with light weight hubs and drums, 8.25x22.5  
Tires - BF Goodrich, Cross Control, 11Rx22.5 radial tires / Firestone T 819  
ABS 2 sensor, 1 module  
Steps - between 1st and 2nd axles  
Aluminum 1/2 Round Fenders  
Liners cannot be installed on any side dump boxes

CATEGORY	Weight	PART NUMBER
----------	--------	-------------

**BOX POSITION**

<input checked="" type="checkbox"/> V Max II TDM Axle Rear	16380 lbs	A5XSC032300
--	-----------	-------------

**TARPS**

Tarp Colour - If colour is not specified tarp will be black

<input type="checkbox"/> Electric Side Kicker Tarp BLACK MESH with aluminum arms & roll tube	<input type="checkbox"/>	
<input checked="" type="checkbox"/> Electric Side Kicker Tarp BLACK VINYL with aluminum arms & roll tube	<input type="checkbox"/>	A5X0900100
<input type="checkbox"/> Side Kicker Tarp Hood / Cap	<input type="checkbox"/>	
<input checked="" type="checkbox"/> Over Tarp Caps	<input type="checkbox"/> Between Tarp Caps	

**LIGHT**

<input type="checkbox"/> Incandescent Lights	<input checked="" type="checkbox"/> LED lights	A5XKIT201VM2LD
--	--	----------------

**SUSPENSION**

Lift Location

<input type="checkbox"/> 1 axle auto deploy lift kit	<input type="checkbox"/>
--	--------------------------

**TIRES AND RIMS**

<input type="checkbox"/> 11R22.5 Tires	
<input checked="" type="checkbox"/> 11R24.5 Tires	
<input checked="" type="checkbox"/> Cooper Road Master RM 230	A9X1611012
Steel wheels unless otherwise noted	

Steel Aluminum look-alike  
Aluminum Machined  
Aluminum Polished



A9X160983620

**MUDFLAPS**

<input type="checkbox"/> Mud flaps, frame mounted, 2 in front of suspension
---

